

### Production

- Grass Valley K-Frame 3G Switcher
- Kayenne 4 Stripe 35 Button Panel
- 5 M/E, 64 Inputs, 36 Outputs
- FlexiKey, Double Take and Chroma Key
- 12- IDPM, 4- EDPM and 2D DPM
- Image Store w/movies

### Record & Playback

- (1) EVS XT3 12ch LSM Dual User Server
- (2) EVS XT3 8ch LSM Server
- (1) EVS XT3 6 Channel RO/Spotbox w/ Lance Controller
- (1) EVS X-file3 w/ 10G File Network
- (1) EVS X-hub3
- Wired for (5) EVS*

### Camera Equipment

- (7) Grass Valley LDX 86 3G Worldcam Cameras
- (4) Grass Valley Super XPanders w/7" Viewfinders
- (2) Fujinon 99x8.4 HD Lens
- (2) Fujinon 72x9.3 HD Lenses
- (1) Fujinon 22x7.8 Servo Zoom Lens
- (1) Fujinon 18x7.6 Servo Zoom Lens
- (1) Fujinon 13x4.5 Wide Angle Lens
- (4) Vinten Vector 70 Pan Heads w/Tripods
- (3) Cartoni Gamma ENG Pan Heads w/Tripods

*Grass Valley LDK 4426 Single Mode Triax Adaptors available upon request*

### Audio

- Calrec Artemis Light Bluefin 2
- 56 Fader Digital Audio Console
- 64x64 Analog
- 64x64 AES
- 256x256 Mono Madi Channels

*Hydra 2 - 24 x 8 Fiber Audio Field Boxes  
Dante Fiber Audio Booth system available upon request*

### Communications

- 208 x 208 RTS Adam Matrix Intercom Including
- 16 Rvon CHs, 32 MADi CHs, 64 Omneo
- 8 Powered PL Channels
- 6 Powered IFB Channels
- (12) Dual Listen BP325 Boxes
- (6) IFB 4030 Boxes
- (12) Single Muff Headsets
- (4) Dual Muff Headsets
- (4) RTS Telephone Interfaces
- (4) QKT Audio Couplers

### Routing & Terminal

- Evertz EQX 3G Video Router (280x474)
- Includes:
- 96x64 Embedding, Dis-embedding
- 16x16 Fiber to External I/O
- 18 Internal Frame Syncs
- Evertz EMR Audio Router
- 1024x1024 Madi
- 96x96 Mono AES
- 192x384 Mono Analog
- (15) For-A U/D/C Frame Syncs w/Color Correction
- (8) TX Processors w-U/D/C
- 246x32 Multiview Capacity

### AV Support

- (5) HMD26 Annc Headsets
- (5) Studio Tech Annc Boxes
- (5) MD46 Stick Mics
- (4) MKH416 Shotgun Mics
- (4) MKH807 Long Shotgun Mics
- (4) MKH418 Stereo Shotgun Mics
- (4) 15" SDI Monitors
- (4) 21" SDI Monitors
- (2) LED Light Kits

### Cable Inventory


- 7000' Triax Cable
- 1700' DT12 Audio Mult
- 1000' 6 Pair Audio Snake
- 750' Audio Cable
- 500' Single Coax
- (2) 125' 10 Wire Coax Loom
- (2) 500', (5) 250', (3) 100' TAC 12 Fiber Cable
- (1) 300', (1) 500', (1) 1000' TAC 6 Fiber Cable
- (1) 250', (2) 500', (1) 1000' TAC 4 Fiber Cable

### Power Requirements

- Three Phase, 190-280 Volts, 200A Service
- 200' Feeder Cable

### Truck Dimensions

- 43'L x 8.5'W with 36'L x 5'W Expansion
- 78' Overall Length, 80,000# GVW



MONITOR 1A				MONITOR 2A				MONITOR 3A				MONITOR 4A				MONITOR 9A (P2-CG)								
										12:00PM									12:00PM					
1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	12:00PM			1	2				
				12:00PM								5	6	7	8	9								
5	6	7	8	PROGRAM				5	6	PROGRAM		PREVIEW					10	11	12	3	4	5		
								PROGRAM		PREVIEW														
9	10	11	12	7	8	9		10		11		13	14	15	16				6	7	8			
MONITOR 5A				MONITOR 6A				MONITOR 7A				MONITOR 8A					MONITOR 9B (P3-BUG)							
																							12:00PM	
1	2	3	4	1	2	3	4	1	2	3	4	1	2	3	4	5	6	7	8	9	10	1	2	
																	6	7	8	9	10			
5	6	7	8	5	6	7	8	5	6	7	8	11	12	13	14	15	11	12	13	14	15	3	4	5
9	10	11	12	9	10	11	12	9	10	11	12	16	12:00PM									6	7	8

SWITCHER INPUTS

SWITCHER OUTPUTS

SWITCHER GPO's

IN	Default	Show Name	Operator	Source	IN	Default	Show Name	Operator	Source	OUT	Default	OUT	Default
1	CAM 1				25	EVS 2B				1	SS-1	25	AUX-7
2	CAM 2				26	EVS 3A				2	SS-2	26	AUX-8
3	CAM 3				27	EVS 3B				3	SS-3	27	AUX-9
4	CAM 4				28	EVS 4A				4	SS-4	28	AUX-10
5	CAM 5				29	EVS 4B				5	SS-5	29	AUX-11
6	CAM 6				30	EVS 5A				6	SS-6	30	AUX-12
7	CAM 7				31	EVS 5B				7	SS-7	31	AUX-13
8	CAM 8				32	CG 1 F				8	SS-8	32	AUX-14
9	CAM 9				33	CG 1 K				9	ME 1 PGM	33	AUX-15
10	CAM 10				34	CG 2 F				10	ME 1 PVW	34	AUX-16
11	CAM 11				35	CG 2 K				11	ME 2 PGM	35	AUX-17
12	CAM 12				36	CG 3 F				12	ME 2 PVW	36	AUX-18
13	CAM 13				37	CG 3 K				13	ME 3 PGM	37	AUX-19
14	CAM 14				38	BUG 1 F				14	ME 3 PVW	38	AUX-20
15	CAM 15				39	BUG 1 K				15	PROGRAM	39	AUX-21
16	CAM 16				40	BUG 2 F				16	CLEAN	40	AUX-22
17	VTR A				41	BUG 2 K				17	PREVIEW	41	AUX-23
18	VTR B				42	TELE F				18	PRESET	42	AUX-24
19	VTR C				43	TELE K				19	AUX-1	43	AUX-25
20	VTR D				44	RTR FEED				20	AUX-2	44	AUX-26
21	VTR E				45	RTR FEED				21	AUX-3	45	AUX-27
22	EVS 1A				46	LHN4			LHN4	22	AUX-4	46	ME 1 CLN
23	EVS 1B				47	BLACK				23	AUX-5	47	ME 2 CLN
24	EVS 2A				48	BARS				24	AUX-6	48	ME 3 CLN

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	

>PGM 2 IS USED FOR TX  
>SWITCHER OUT 16 IS CLEAN