

Production

Available upon request

Record & Playback

Wired for 2 6ch EVS and 1 4ch EVS

Audio Facilities

Calrec Omega Bluefin Digital Audio Console
- 56 Faders
- 96 Mic/Line in x 96 Line Outputs
- 32 AES in x 32 AES Outputs 160 DSP CH's
- 128 x 128 MADI Channels
- 2 Main Stereo outs (Stereo or 5.1)
-20 Mono or 10 Stereo Auxiliary Outs
-8 Stereo Groups, 48 Multi Track
DK Audio Phase Monitor
1 – DBX 1046 compressor/limiter
2 - 360 Systems DigiCart E (1 w/SD Card Reader)
CD Player
Genelec Speakers in Audio & Production
Wohler Speaker Stations throughout

Communications

64 Port Lic'd RTS ODIN Matrix Intercom System
-16 4-Wire Ports
-16 Channels RTS RVON
(4) RTS KP 32 Intercom Stations
(2) RTS KP12 Intercom Stations
(3) RTS TIF-2000 Telephone Interfaces
(1) JK Audio Innkeeper 4 phone coupler
(9) RTS BP325 Intercom Belt Packs
(8) RTS 4030 IFB Belt Packs
(9) Beyer DT108 Single Muff Headset
(6) Beyer DT109 Dual Muff Headsets

Terminal Equipment

Ross Ultrix 48 x 48 3G Router w/ Embedding
- 4 Multiviewers
- 48 x 48 Frame Sync I/O
- 2 x 2 Madi Ports
- 3 Control Panels
Ross Sync Generator with Automatic Change Over

A/V Support

(5) HMD26 Annc Headsets
(5) Studio Tech Annc Boxes
(5) MD46 Stick Mics
(6) MKH416 Shotgun Mics
(6) MKH807 Long Shotgun Mics
(4) MKH418 Stereo Shotgun Mics
(4) 15" SDI Monitors
(4) 21" SDI Monitors
(1) LED Light Kits

Cable Inventory

7000' Triax Cable, w/Triax Mult
3500' TAC12 Cable
3000' DT12 Audio Mult
1500' XLR Audio
2100' 4 Pair XLR Cable
1000' Coax Cable
2 - 150' 5 Wire Coax mults

Power Requirements

Three Phase, 190-280 Volts, 200A/Leg
-200' Feeder Cable


Truck Dimensions

56' long x 14' wide working dimensions
78' Overall Length w/truck, 80,000# GVW
w/truck

Camera Equipment

(9) GV LDX80 Premiere Camera w/Triax Backs
(1) GV LDX86 Camera w/Triax and SMPTE Backs
(9) GV LDX 3G Triax /SM Fiber Base Stations
(6) Grass Valley LDK Super XPanders
(1) Fujinon 88x9.3 HD Lens
(2) Fujinon 77x9.3 HD Lens
(3) Fujinon 72x9.3 HD Lens
(2) Canon 22x7.8 Servo Zoom Lens
(2) Fujinon 18x7.6 Servo Zoom Lens
(1) Fujinon 13x5.5 Wide Angle Lens
(3) Vinten Vector 70 Pan Heads w/Tripods
(3) Vinten Vector 75 Pan Heads w/Tripods
(3) Cartoni Gamma Pan Heads w/Tripods

Wired for 10 CCU's





MU-17

53' REMI ONLY NON- EXPANDO
MONITOR WALL LAYOUT

MONITOR 1 (VIP22A)			MONITOR 2 (23A)			MONITOR 3 (VIP22B)			MONITOR 7 (VIP26A)				MONITOR 8 (VIP27A)				MONITOR 9 (VIP28A)				
		12:00PM															1	2	3	4	5
1	2		1	2		1	2		1	2	3	4	1	2	3	4	6	7	8	9	10
3	4	5	3	4	5	3	4	5	5	6	7	8	5	6	7	8	11	12	13	14	15
6	7	8	6	7	8	6	7	8	9	10	11	12	9	10	11	12	16				

MONITOR 4 (VIP23B)				MONITOR 5 (VIP24A)					MONITOR 6 (VIP25A)								
				12:00PM					1	2	3	4					
1	2	3	4	1	2	3	4	5	5	6	7	8	9				
12:00PM				PROGRAM		PREVIEW											
PROGRAM				PROGRAM		PREVIEW											
7	8	9		6	7				13	14	15	16					