Production

Ross Ultrix Acuity Production Switcher 2 Acuity M/Es Available Ross TouchDrive TD2S Control Panel 25-Button 2 M/E Row Panel (6) Keyers per ME, (14) DVEs per ME, (4) Video/Key Media Stores per ME Lance Controller

Records

- (3) EVS XT2+ 6-Channel
- (1) EVS XT2+ 4-Channel Spotbox
- (1) EVS XFile 3
- (1) AJA KiPro Ultra Plus Recorder (4 total inputs)
- (1) Black Magic H.264 Recorder

REMI Transport

Using Haivision Makito H.264 Encoding (20) Inbound Feeds to Control Room (4) Outbound Feeds to Remote Site Using LiveU Bonded Cellular Encoding (8) Inbound Feeds to Control Room

Communications

RTS ODIN Digital Intercom Frame (4) RTS Telephone Interface (4) QKT Telephone Interface **RVON & Unity Intercoms for Remote Connections**

Connectivity

Redundant Dedicated ISP (8) VoIP Phone Lines

Terminal Equipment

192x192 Ross Ultrix 3G/HD Router 3072x3072 Audio Embed/De-Embed (10) Configurable Integrated Multiviewer Outputs (18) 3G/HD Frame Syncs DNF Tally Interface Cobalt Frame Sync/Delay Units

Graphics Facilities

- (1) Ross XPression Dual Channel SW ver 10.5
- (1) Pro Video Server Instance

Audio Facilities

Calrec Brio 36 Medley Console 36 Fader / 96 DSP Inputs 24x16 Analog, 16x16 AES, 64x64 MADI, 64x64 Dante

Transmission

HD-SDI Transmit Path Circuit on AT&T Fiber Additional Transmission Options Available Including Streaming & Satellite Uplink

Power Redundancy


PCR Facility Power Conditioned, Backed Up On Battery and Automatic Backup Generator Installed

Resolutions & Frame Rates

1080i, 720p 59.94

For mobile unit inquiries, call or text at 877-959-8638 or e-mail contact@tndv.com

Mobile unit equipment complement is subject to change without notice. Additional equipment is available as needed.





TNDV is a division of the Live Media Group Holdings family of companies













FULL SCREEN ROUTABLE	CLOCK	FULL SCREEN ROUTABLE	

ALL LOWER MONITORS ARE CONFIGURABLE UP TO 25 PIP

Producer	Producer	Director		Technical Director
----------	----------	----------	--	--------------------